

FIBERSENSE & SIGNALS INC., 4423 Fortran Court, Ste. 111 San Jose, CA 95134

SHIP VIA: Federal Express - COLLECT

MALFUNCTIONS IN OPTICAL PERFORMANCE.

Tel. 408 941 1900

RESONON, INC.

Email: sales@fibersensefirst.com
Ship To:
Bill

Bill To: RESONON, INC. 123 Commercial Drive

PACKING SLIP

splitter order cost.

NO. 16-0606319-01

Date: June 20, 2016

1. Payment in advance via bank transfer with

order: Engineering cost plus 50 per cent of

2. Remaining Balance: Payment via bank

BOX I

OF 4

ATTN: Curt deLeon
123 Commercial Drive
Bozeman, MT 59715

CUSTOMER No.

RES-0001

Bozeman, MT 59715 YOUR REF. Resonon P.O. 636

2

transfer prior to shipment.

INSURANCE
Customer to provide insurance
Our Plant

DESCRIPTION OTY UNIT EXT PRICE \$ US PRICE S US Shipment in Four (4) boxes containing Seven (7) splitters Each Custom fabricated 1 x 2 Uni-fused Multimode Fiber Splitter, fabricated from 600 28 um core solarization resistant fiber. Splitter Pricing includes: Additional cost of solarization resistant fiber. Custom casing: 0.9 in wide x 0.75 in high x 6 in long. Two mounting holes to be provided on one side face. Casing with black anodized finish. Custom lead lengths and Custom lead reinforcement: All leads sheathed in metalreinforced, PVC-covered reinforcement. Termination of Input and Output leads with FC connectors (three terminations per splitter) includes parts and labor. PLEASE NOTE: As per terms of our Quotation and Sale, Custom items are non-cancellable and non-refundable. We do not ship devices that are out of specification, however, Buyer has five (5) working days to verify the genuine optical performance of the devices and to report discrepancies. after which no claim can be entertained. CONDITIONS OF SALE: Subtotal 1.Goods, specifications and terms are offered as appear herein. 2. Specifications and/or terms inconsistent with those stated herein will not be binding on the Vendor, unless CA Sales & Use Tax N/A approved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or Collect other agreements unless approved in writing by the Vendor. Freight 3. Immediately upon delivery of the goods sold hereunder to the carrier, the buyer assumes all risk of loss or damage and agrees to provide insurance against loss or damage by fire, theft, or other casualty for the full Total amount of the purchase price of the goods sold hereunder. Failure by the buyer to provide insurance as herein Thank you **Payment** required shall not relieve the buyer of full responsibility for all risk of loss from any cause damaging or for your destroying the goods. Received with 4. Report all damage to or shortage of this shipment to the carrier forthwith upon receipt of the goods. The order and Order seller will consider no claims for shortages unless the carrier is notified immediately and the seller is notified in writing within seven days from Invoice date. payment **Balance Paid** 5. The seller will not accept the return of the goods sold hereunder without its prior written consent. Custom Prior to items are non-cancelable and non-refundable. PLEASE NOTE: BUYER HAS FIVE (5) WORKING DAYS FROM RECEIPT OF DEVICES TO REPORT DISCREPANCIES OR Shipment



FIBERSENSE & SIGNALS INC. 4423 Fortran Court, Ste. 111 San Jose, CA 95134

Tel. 408 941 1900

Email: sales@fibersensefirst.com

PACKING SLIP NO. 16-0606319-02 064

Date: June 20, 2016

Ship To: RESONON, INC. ATTN: Curt deLeon 123 Commercial Drive Bozeman, MT 59715	123 Commer	Bill To: RESONON, INC. 123 Commercial Drive Bozeman, MT 59715		
YOUR REF. Resonon P.O. 636	CUSTOMER No. RES-0001	TERMS 1.Payment in advance via bank transfer with order: Engineering cost plus 50 per cent of splitter order cost. 2.Remaining Balance: Payment via bank transfer prior to shipment.		
SHIP VIA:Federal Express - COLLECT	INSURANCE Customer to provide insurance	F.O.B.		

DESCRIPTION	QTY	UNIT PRICE \$ US	PRICE \$ US
Shipment in Four (4) boxes containing Seven (7) splitters Each			
Custom fabricated 1 x 2 Uni-fused Multimode Fiber Splitter, fabricated from 600 um core solarization resistant fiber. Splitter Pricing includes: Additional cost of solarization resistant fiber. Custom casing: 0.9 in wide x 0.75 in high x 6 in long. Two mounting holes to be provided on one side face. Casing with black anodized finish. Custom lead lengths and Custom lead reinforcement: All leads sheathed in metal-reinforced, PVC-covered reinforcement. Termination of Input and Output leads with FC connectors (three terminations per splitter) includes parts and labor.	28		
PLEASE NOTE: As per terms of our Quotation and Sale, Custom items are non-cancellable and non-refundable. We do not ship devices that are out of specification, however, Buyer has five (5) working days to verify the genuine optical performance of the devices and to report discrepancies, after which no claim can be entertained.			2
CONDITIONS OF SALE: .Goods, specifications and terms are offered as appear herein. .Specifications and/or terms inconsistent with those stated herein will not be binding on the Vendor, unless proved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or		otal	(4)
		les & Use Tax	N/A
r agreements unless approved in writing by the Vendor.	Freight		Collect
age and agrees to provide insurance against loss or damage by fire, theft, or other casualty for the full	Total	1	
rired shall not relieve the buyer of full responsibility for all risk of loss from any cause damaging or roying the goods. eport all damage to or shortage of this shipment to the carrier forthwith upon receipt of the goods. The er will consider no claims for shortages unless the carrier is notified immediately and the seller is notified riting within seven days from Invoice date. The goods sold hereunder without its prior written consent. Custom are renon-cancelable and non-refundable. PLEASE NOTE: BUYER HAS FIVE (5) WORKING	Payn Rece Orde Balan Prior	nent ived with er nce Paid r to	Thank you for your order and payment
	Custom fabricated 1 x 2 Uni-fused Multimode Fiber Splitter, fabricated from 600 um core solarization resistant fiber. Splitter Pricing includes: Additional cost of solarization resistant fiber. Custom casing: 0.9 in wide x 0.75 in high x 6 in long. Two mounting holes to be provided on one side face. Casing with black anodized finish. Custom lead lengths and Custom lead reinforcement: All leads sheathed in metal-reinforced, PVC-covered reinforcement. Termination of Input and Output leads with FC connectors (three terminations per splitter) includes parts and labor. PLEASE NOTE: As per terms of our Quotation and Sale, Custom items are non-cancellable and non-refundable. We do not ship devices that are out of specification, however, Buyer has five (5) working days to verify the genuine optical performance of the devices and to report discrepancies, after which no claim can be entertained. NDITIONS OF SALE: obds, specifications and terms are offered as appear herein. ocifications and/or terms inconsistent with those stated herein will not be binding on the Vendor, unless oved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or agreements unless approved in writing by the Vendor. mediately upon delivery of the goods sold hereunder to the carrier, the buyer assumes all risk of loss or age and agrees to provide insurance against loss or damage by fire, theft, or other casualty for the full unt of the purchase price of the goods sold hereunder. Failure by the buyer to provide insurance as herein ired shall not relieve the buyer of full responsibility for all risk of loss from any cause damaging or roying the goods. eport all damage to or shortage of this shipment to the carrier forthwith upon receipt of the goods. The r will consider no claims for shortages unless the carrier is notified immediately and the seller is notified riting within seven days from Invoice date. e seller will not accept the return of the goods sold hereunder without its prior written consent. Cus	Custom fabricated 1 x 2 Uni-fused Multimode Fiber Splitter, fabricated from 600 um core solarization resistant fiber. Splitter Pricing includes: Additional cost of solarization resistant fiber. Custom casing: 0.9 in wide x 0.75 in high x 6 in long. Two mounting holes to be provided on one side face. Casing with black anodized finish. Custom lead lengths and Custom lead reinforcement: All leads sheathed in metalreinforced, PVC-covered reinforcement. Termination of Input and Output leads with FC connectors (three terminations per splitter) includes parts and labor. PLEASE NOTE: As per terms of our Quotation and Sale, Custom items are non-cancellable and non-refundable. We do not ship devices that are out of specification, however, Buyer has five (5) working days to verify the genuine optical performance of the devices and to report discrepancies, after which no claim can be entertained. NDITIONS OF SALE: Subtovad; specifications and/or terms are offered as appear herein. ecifications and/or terms inconsistent with those stated herein will not be binding on the Vendor, unless oved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or ragreements unless approved in writing by the Vendor. Mortion of the purchase price of the goods sold hereunder to the carrier, the buyer assumes all risk of loss or age and agrees to provide insurance against loss or damage by fire, theft, or other casualty for the full unt of the purchase price of the goods sold hereunder. Failure by the buyer to provide insurance as herein iried shall not relieve the buyer of full responsibility for all risk of loss from any cause damaging or roying the goods. Freig Tota etc. Tota Payn Recee Order will not accept the return of the goods sold hereunder without its prior written consent. Custom is are non-cancelable and non-refundable. PLEASE NOTE: BUYER HAS FIVE (5) WORKING	Shipment in Four (4) boxes containing Seven (7) splitters Each Custom fabricated 1 x 2 Uni-fused Multimode Fiber Splitter, fabricated from 600 um core solarization resistant fiber. Splitter Pricing includes: Additional cost of solarization resistant fiber. Custom casing: 0.9 in wide x 0.75 in high x 6 in long. Two mounting holes to be provided on one side face. Casing with black anodized finish. Custom lead lengths and Custom lead reinforcement: All leads sheathed in metal-reinforced, PVC-covered reinforcement. Termination of Input and Output leads with FC connectors (three terminations per splitter) includes parts and labor. PLEASE NOTE: As per terms of our Quotation and Sale, Custom items are non-cancellable and non-refundable. We do not ship devices that are out of specification, however, Buyer has five (5) working days to verify the genuine optical performance of the devices and to report discrepancies, after which no claim can be entertained. NDITIONS OF SALE: oods, specifications and terms are offered as appear herein. ceifications and/or terms inconsistent with those stated herein will not be binding on the Vendor, unless oved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or a greements unless approved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or a greements unless approved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or a greements unless approved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or a greements unless approved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or a greements unless approved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or a greements unless approved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or a greements unless approved in



FIBERSENSE & SIGNALS INC. 4423 Fortran Court, Ste. 111 San Jose, CA 95134 Tel. 408 941 1900

Box 3 / 4.

PACKING SLIP NO. 16-0606319-02

Email: sales@fibersensefirst.com

Date: June 20, 2016

Ship To: RESONON, INC. ATTN: Curt deLeon 123 Commercial Drive Bozeman, MT 59715		Bill To: RESONON, INC. 123 Commercial Drive Bozeman, MT 59715		
YOUR REF. Resonon P.O. 636	CUSTOMER No. RES-0001		TERMS 1. Payment in advance via bank transfer with order: Engineering cost plus 50 per cent of splitter order cost. 2. Remaining Balance: Payment via bank transfer prior to shipment.	
SHIP VIA: Federal Express - COLLECT or PREPAY AND ADD	INSURANCE Customer to provi	de insurance	F.O.B. Our Plant	

	DESCRIPTION	QTY	UNIT PRICE \$ US	EXT PRICE \$ US
1	Shipment in Four (4) boxes containing seven (7) splitters Each			
2	Custom fabricated 1 x 2 Uni-fused Multimode Fiber Splitter, fabricated from 600 um core solarization resistant fiber. Splitter Pricing includes: Additional cost of solarization resistant fiber. Custom casing: 0.9 in wide x 0.75 in high x 6 in long. Two mounting holes to be provided on one side face. Casing with black anodized finish. Custom lead lengths and Custom lead reinforcement: All leads sheathed in metal-reinforced, PVC-covered reinforcement. Termination of Input and Output leads with FC connectors (three terminations per splitter) includes parts and labor. PLEASE NOTE: As per terms of our Quotation and Sale, Custom items are non-cancellable and non-refundable. We do not ship devices that are out of specification, however, Buyer has five (5) working days to verify the genuine optical performance of the devices and to report discrepancies,	28		
· ·	after which no claim can be entertained. NDITIONS OF SALE:	Subt	otal	
Goods, specifications and terms are offered as appear herein.		Subtotal		
Sp	Specifications and/or terms inconsistent with those stated herein will not be binding on the Vendor, unless proved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or		les & Use Tax	N/A
other agreements unless approved in writing by the Vendor. 3. Immediately upon delivery of the goods sold hereunder to the carrier, the buyer assumes all risk of loss or damage and agrees to provide insurance against loss or damage by fire, theft, or other casualty for the full amount of the purchase price of the goods sold hereunder. Failure by the buyer to provide insurance as herein required shall not relieve the buyer of full responsibility for all risk of loss from any cause damaging or destroying the goods. 4. Report all damage to or shortage of this shipment to the carrier forthwith upon receipt of the goods. The seller will consider no claims for shortages unless the carrier is notified immediately and the seller is notified in writing within seven days from Invoice date.		Freight		Collect
		Total		
		Payment Received with Order Balance Paid		
em A	ne seller will not accept the return of the goods sold hereunder without its prior written consent. Custom as are non-cancelable and non-refundable. PLEASE NOTE: BUYER HAS FIVE (5) WORKING YS FROM RECEIPT OF DEVICES TO REPORT DISCREPANCIES OR ALFUNCTIONS IN OPTICAL PERFORMANCE.	D :		



FIBERSENSE & SIGNALS INC. 4423 Fortran Court, Ste. 111 San Jose, CA 95134

Tel. 408 941 1900

BOX 4/4

PACKING SLIP NO. 16-0606319-02

Date: June 20, 2016

Email: sales@fibersensefirst.com Bill To: Ship To: RESONON, INC. RESONON, INC. ATTN: Curt deLeon 123 Commercial Drive 123 Commercial Drive Bozeman, MT 59715 Bozeman, MT 59715 CUSTOMER No. TERMS YOUR REF. **RES-0001** 1. Payment in advance via bank transfer with Resonon P.O. 636 order: Engineering cost plus 50 per cent of splitter order cost. 2. Remaining Balance: Payment via bank transfer prior to shipment. INSURANCE F.O.B. SHIP VIA: Federal Express - COLLECT or Customer to provide insurance Our Plant PREPAY AND ADD

	DESCRIPTION	QTY	UNIT PRICE \$ US	EXT PRICE \$ US
1	Shipment in Four (4) boxes containing seven (7) splitters Each			
2	Custom fabricated 1 x 2 Uni-fused Multimode Fiber Splitter, fabricated from 600 um core solarization resistant fiber. Splitter Pricing includes: Additional cost of solarization resistant fiber. Custom casing: 0.9 in wide x 0.75 in high x 6 in long. Two mounting holes to be provided on one side face. Casing with black anodized finish. Custom lead lengths and Custom lead reinforcement: All leads sheathed in metal-reinforced, PVC-covered reinforcement. Termination of Input and Output leads with FC connectors (three terminations per splitter) includes parts and labor. PLEASE NOTE: As per terms of our Quotation and Sale, Custom items are non-cancellable and non-refundable. We do not ship devices that are out of specification, however, Buyer has five (5) working days to verify the genuine optical performance of the devices and to report discrepancies,	28		
	after which no claim can be entertained.			
CO	NDITIONS OF SALE:	Subt	ntel	
	oods, specifications and terms are offered as appear herein.			
	specifications and/or terms inconsistent with those stated herein will not be binding on the Vendor, unless broved in writing by the Vendor. The prices and terms of this order are not subject to verbal changes or the agreements unless approved in writing by the Vendor. In mediately upon delivery of the goods sold hereunder to the carrier, the buyer assumes all risk of loss or		les & Use Tax	N/A
the .In			ght	Collect
	hage and agrees to provide insurance against loss or damage by fire, theft, or other casualty for the full bunt of the purchase price of the goods sold hereunder. Failure by the buyer to provide insurance as herein	Total Payment Received with		
eqi	aired shall not relieve the buyer of full responsibility for all risk of loss from any cause damaging or			
	roying the goods. Leport all damage to or shortage of this shipment to the carrier forthwith upon receipt of the goods. The			
ell	er will consider no claims for shortages unless the carrier is notified immediately and the seller is notified	Orde	r	
	riting within seven days from Invoice date. the seller will not accept the return of the goods sold hereunder without its prior written consent. Custom	Balance Paid Prior to Shipment		
	as are non-cancelable and non-refundable. PLEASE NOTE: BUYER HAS FIVE (5) WORKING			
DA	YS FROM RECEIPT OF DEVICES TO REPORT DISCREPANCIES OR ALFUNCTIONS IN OPTICAL PERFORMANCE.			